



Forest Dental Component Catalogue

LIGHT SERVICE
ITEMS **1**

HANDPIECE
CONTROLS **2**

ARM
SYSTEMS **3**

SYRINGES **4**

FOOT
CONTROLS **5**

VACUUM **6**

HOLDERS **7**

VALVES **8**

ACCESSORIES **9**

FITTINGS **10**

TUBING **11**

SERVICE
ITEMS **12**

PARTS
BREAKDOWN **13**

Phantom Head Dental

950 Manchester Road
Linthwaite, Huddersfield, HD7 5QS

Tel/Ans: 01484 843 100
Fax: 01484 843 888

Email: sales@phantomhead.com
Website: www.phantomhead.com



Accessories

9 SELF-CONTAINED WATER SYSTEM-SINGLE BOTTLE



Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.

FEATURES

- High density bottle, 1 Liter (2)
- Mini air pressure regulator
- 3-way toggle valve
- Interconnect tubing
- Mounting hardware

DESCRIPTION

2" DIA. POST MOUNT SYSTEM
 WALL MOUNT SYSTEM
 1/2" DIA. BAR MOUNT SYSTEM
 REPLACEMENT PRESSURE HEAD
 REPLACEMENT WASHER

PART NO.

1700-100
 1700-101
 1700-102
 1100-281
 0011-011



SELF-CONTAINED WATER SYSTEM-DUAL BOTTLE



Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.

FEATURES

- High density bottle, 1 Liter (2)
- Mini air pressure regulator
- 3-way toggle valve
- Interconnect tubing
- Mounting hardware

DESCRIPTION

2" DIA. POST MOUNT SYSTEM
 WALL MOUNT SYSTEM
 BENEATH SHELF MOUNT SYSTEM
 REPLACEMENT PRESSURE HEAD
 REPLACEMENT WASHER

PART NO.

1700-126
 1700-121
 1700-120
 1100-281
 0011-011



Phantom Head Dental

950 Manchester Road
 Linthwaite, Huddersfield, HD7 5QS

Tel/Ans: 01484 843 100
 Fax: 01484 843 888

Email: sales@phantomhead.com
 Website: www.phantomhead.com



Accessories

9

SELF-CONTAINED WATER SYSTEM W/ GAUGE-SINGLE BOTTLE



Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.

FEATURES

- High density bottle, 1 Liter (2)
- Mini air pressure regulator
- 3-way toggle valve
- Interconnect tubing
- Mounting hardware

DESCRIPTION

2" DIA. POST MOUNT SYSTEM
 WALL MOUNT SYSTEM
 REPLACEMENT PRESSURE HEAD
 REPLACEMENT WASHER

PART NO.

1700-200
 1700-201
 1100-281
 0011-011

SELF-CONTAINED WATER SYSTEM W/ GAUGE-DUAL BOTTLE



Controlled dispensing system for antiseptic coolant or sterile water. May be used with handpiece controls and 3-way syringes.

FEATURES

- High density bottle, 1 Liter (2)
- Mini air pressure regulator
- 3-way toggle valve
- Interconnect tubing
- Mounting hardware

DESCRIPTION

2" DIA. POST MOUNT SYSTEM
 WALL MOUNT SYSTEM
 BENEATH SHELF MOUNT SYSTEM
 REPLACEMENT PRESSURE HEAD
 REPLACEMENT WASHER

PART NO.

1700-226
 1700-221
 1700-220
 1100-281
 0011-011

HIGH DENSITY BOTTLE



For use with clean water systems.

FEATURES

- Opaque bottle
- High Density Polyethylene (HDPE)

DESCRIPTION

HIGH DENSITY ONE LITER BOTTLE
 HIGH DENSITY 1-1/2 LITER BOTTLE

PART NO.

0010-364
 0010-464



Accessories

9 ORALITE HANDPIECE ILLUMINATION SYSTEM



A compact handpiece illumination system that installs easily to any handpiece control and is compatible with any standard power optic handpiece. An easy to replace krypton lamp provides brilliant, cool light for intra-oral use.

DESCRIPTION
110VAC
220VAC

FEATURES

- ISO standard power optic handpiece terminal with stainless steel adapter and nut (5-hole Midwest)
- Asepsis style handpiece tubing, 7'
- Krypton lamp, 3.5VAC, 720mA
- Power transformer, output 3.5VAC, 700mA
- Air electric switch
- Installation hardware



DESCRIPTION

- STRAIGHT STERLING
- COILED STERLING
- STRAIGHT GRAY
- COILED GRAY
- STRAIGHT BLACK
- COILED BLACK
- STRAIGHT SHADOW
- COILED SHADOW

PART NO.	PART NO.
110VAC (60Hz)	220VAC (50Hz)
1700-018	1700-048
1700-022	1700-049
1700-010	1700-038
1700-008	1700-036
1700-002	1700-039
1700-003	1700-037
1700-518	1700-548
1700-522	1700-549

Note: 220VAC is only offered in a Euro style plug

HANDPIECE ILLUMINATION TUBING KIT

Used to add extra power optic handpiece to above illumination system.



FEATURES

- ISO standard power optic handpiece terminal with stainless steel adapter and nut (5-hole Midwest)
- Asepsis style handpiece tubing, 7'
- Krypton lamp, 3.5VAC, 720mA
- Air electric switch
- Installation hardware

DESCRIPTION

- STRAIGHT STERLING
- COILED STERLING
- STRAIGHT GRAY
- COILED GRAY
- STRAIGHT BLACK
- COILED BLACK
- STRAIGHT SHADOW
- COILED SHADOW

PART NO.
0017-694
0017-700
0017-684
0017-683
0017-682
0017-681
0017-584
0017-500

HANDPIECE ILLUMINATION REPLACEMENT TUBING

Used to replace power optic handpiece tubing.



FEATURES

- ISO standard power optic handpiece terminal with stainless steel adapter and nut (5-hole Midwest)
- Asepsis style handpiece tubing, 7'
- Krypton lamp, 3.5VAC, 720mA

DESCRIPTION

- STRAIGHT STERLING
- COILED STERLING
- STRAIGHT GRAY
- COILED GRAY
- STRAIGHT BLACK
- COILED BLACK
- STRAIGHT SHADOW
- COILED SHADOW

PART NO.
0017-692
0017-699
0017-686
0017-689
0017-675
0017-688
0017-592
0017-599



Accessories

9

HANDPIECE ILLUMINATION SYSTEM, 6-PIN



A compact handpiece illumination system that installs easily to any handpiece control and is compatible with any ISO-C handpiece (6-Pin).

DESCRIPTION
110VAC
220VAC

FEATURES

- ISO-C standard power optic handpiece terminal (6-Pin)
- Asepsis style handpiece tubing, 7'
- Power transformer, output 3.5VAC, 700mA
- Air electric switch
- Installation hardware



DESCRIPTION

STRAIGHT STERLING
STRAIGHT GRAY
STRAIGHT BLACK
STRAIGHT SHADOW

PART NO.

110VAC
(60Hz)
1700-603
1700-600
1700-800
1700-904

PART NO.

220VAC
(50Hz)
1700-604
1700-601
1700-801
1700-902

Note: 220VAC is only offered in a Euro style plug

HANDPIECE ILLUMINATION TUBING KIT, 6-PIN

Used to add extra power optic handpiece to above illumination system.



FEATURES

- ISO-C power optic handpiece terminal (6-Pin)
- Asepsis style handpiece tubing, 7'
- Air electric switch
- Installation hardware

DESCRIPTION

STRAIGHT STERLING
STRAIGHT GRAY
STRAIGHT BLACK
STRAIGHT SHADOW

PART NO.

0017-994
0017-984
0017-982
0017-985

HANDPIECE ILLUMINATION TUBING, 6 PIN



FEATURES

- ISO-C handpiece tubing, 7' w/connector (6-Pin)

DESCRIPTION

STRAIGHT STERLING
STRAIGHT GRAY
STRAIGHT BLACK
STRAIGHT SHADOW

PART NO.

0017-603
0017-600
0017-903
0017-900



Accessories

9

TRANSFORMER, 3.5 VAC, 700 mA



Note: 220VAC is only offered in a Euro style plug

DESCRIPTION
110VAC (60HZ)
220VAC (50HZ)

PART NO.
0014-065
0014-115

AIR ACTUATED ELECTRIC SWITCH



FEATURES

- 120VAC, 5 amp switch
- 15-150 PSI operating range
- 10-32 x 1/16" barb fitting
- 18 awg wire, 6"
- Mounting hardware, 15/32-32

DESCRIPTION
NORMALLY OPEN
NORMALLY CLOSED

PART NO.
0014-085
0014-088

WIRE NUT



Used for Oralite Handpiece Illumination System wire connections in lieu of terminal strip, 16-22 gauge.

DESCRIPTION
PACKAGE OF 10

PART NO.
0014-182

TIME DELAY KIT



Time delay module for use with Oralite Handpiece Illumination System. Easily installed kit retrofits all existing Oralite systems. One required per handpiece.

FEATURES

- 10 second delay after foot control is released
- Complete installation instructions

DESCRIPTION
TIME DELAY KIT

PART NO.
0014-122

TERMINAL STRIP



Used for Oralite Handpiece Illumination System wire connections.


DESCRIPTION
4 CIRCUIT
6 CIRCUIT


PART NO.
0014-066
0014-064





Accessories


9

KRYPTON LAMP		
	For use in handpiece illumination system, 3.5VAC, 720mA.	
	DESCRIPTION KRYPTON LAMP	PART NO. 0014-067

STORAGE ORGANIZER ASSEMBLY		
	For use with mobile cabinets or assistant's carts. Provides two position rest for storage organizer (10° and 30°).	
	FEATURES <ul style="list-style-type: none"> • Storage organizer with removable hinged cover • Organizer holder assembly • Universal mounting brackets, horizontal or vertical surface 	
	DESCRIPTION 4 POSITION, 22-3/4" WIDTH 3 POSITION, 19-3/4" WIDTH	PART NO. 1110-700 1110-719

STORAGE ORGANIZER WITH COVER		
	For use with storage organizer holders.	
	FEATURES <ul style="list-style-type: none"> • Storage organizer with removable hinged cover • Storage dividers 	
	DESCRIPTION STORAGE ORGANIZER ORGANIZER HINGE ONLY HALF DIVIDER FULL DIVIDER	PART NO. 0010-165 0010-164 0010-344 0010-343

X-RAY VIEWER II		
	INCLUDES <ul style="list-style-type: none"> • 5 watt bulb (2) • On/off button • Transformer • Viewing Area(5 1/4" X 4") Overall Size(6 1/4" X 6 1/4") • Viewer mounting bracket 	
	DESCRIPTION 110VAC 220VAC	PART NO. 0014-271 0014-272

MOBILE STAND		
	FEATURES <ul style="list-style-type: none"> • Powder coat finish • Adjustable height, 23" to 32" • 2" diameter • Tilted upright • Mounting plate, 6" x 6" • Twin wheel casters 	
	DESCRIPTION SMALL STAND (18" W X 18" D)	PART NO. 4003-097



Accessories

9

H-TYPE MOBILE STAND



FEATURES

- Powder coat finish
- Adjustable height: 26" to 39"
- 2" diameter
- Vertical upright
- Mounting plate, 4-1/2" x 6"
- Twin wheel casters

DESCRIPTION

LARGE STAND (24-1/2" W X 18" D)

PART NO.

4003-135

CONTROL POST



FEATURES

- Powder coat finish
- 2" diameter
- 1-1/2" I.D. Bronze bearing

DESCRIPTION

CONTROL POST, 24"
 CONTROL POST, 24" W/ SLOT
 CONTROL POST, 30"
 CONTROL POST, 30" W/ SLOT

PART NO.

1110-481
 1110-588
 1110-480
 1110-592

POST CAP



Provides finished end for above control posts when using 2" diameter post mount arms. Plastic.

DESCRIPTION
 POST CAP

PART NO.
 0010-140

POST CAP



Provides finished top for 2" diameter light posts, powdercoated.

DESCRIPTION
 POST CAP

PART NO.
 0010-141

CART SLEEVE



Delrun spacer for enlarging diameter of post to accept 2" diameter clamp.

DESCRIPTION
 CART SLEEVE

PART NO.
 0010-195



Accessories

9

LIGHT POST EXTENSION



Designed for use with any 2" diameter post.

FEATURES

- Powder coat finish
- 24" light post
- Post clamp
- Light adapter
- Power cord, 8'

DESCRIPTION
FOR PELTON & CRANE
FOR FOREST/CASTLE

PART NO.
1110-517
1110-518

POST CLAMP



Designed to adapt light post to control post.

DESCRIPTION
POST CLAMP

PART NO.
1110-516

LIGHT POST



FEATURES

- Powder coat finish
- 2" diameter

DESCRIPTION
LIGHT POST, 24"
LIGHT POST, 30"
LIGHT POST, 35"
LIGHT POST, 40"
LIGHT POST, 44"

PART NO.
1110-503
1110-578
1110-665
1110-504
1110-643

BUSHING



Designed to adapt light to above light posts.

DESCRIPTION
FOR PELTON & CRANE
FOR FOREST/CASTLE

PART NO.
1110-510
1110-582

FLOOR MOUNTED

BESIDE CHAIR

BENEATH CHAIR



FEATURES

- Powder coat post, 2" O.D. x 54" L
- Powder coat base
- 120V duplex outlet
- Power cord
- Light adapters

DESCRIPTION
BESIDE CHAIR

PART NO.

FOR FOREST/CASTLE
FOR PELTON & CRANE

1115-094-F
1115-094-PC

BENEATH CHAIR

FOR FOREST/CASTLE
FOR PELTON & CRANE

1115-098-F
1115-098-PC

